

SCREENTECH (AUST) PTY.LTD
LED SOLAR STUD

Product Specification

Model No.: ST-206 Centre Divider / Edge Pointer



Features

- **Free of maintenance**
- **Single sided or double sided (by request) illuminating configurations**
- **Specified Flash Rates**
- **Long operation life for LED lamps**
- **100% water proof design**
- **Built-in reflector ensures High visibility**

Technical Specification

Item	ST-206			
Solar Cell	Type	Silicone Crystalline		
	Max. Output	0.31W		
	Max. Voltage	1.0V		
	Max. Current	310mA		
Battery	Type	Ni-cd		
	Max. Voltage	1.2V		
	Max. Current	1800mAh		
	Lifetime	3-5 years		
LEDs	Type	High intensity		
	Colours Available	Red, Amber, Blue, White, Green		
	No. of LED	6		
	Lifetime	100,000 hours		
Operation	After dark, LEDs turn on automatically & turn off at dawn			
	Steady on, off 25-~95 Lux			
Visibility	200m			
Body	Housing	Polycarbonate	Weight	Apporx. 450g
Dimensions	Diameter Ø118	Hole Size: Ø 100x50mm	Height: before installation 60mm, After installation 12mm above the ground	
Temperature	Storing: -40°C ~ +85°C		Working: -20°C ~ +65°C	
Install/Sealing	Bitumen or Epoxy		Warranty: 1 years	

For Sales or Information Contact: Screentech (Aust) Pty.Ltd
 Unit 6, 106 Norma Rd, Myaree WA 6154
 Phone: 1300 798 855 or (08) 9330 8485 Fax (08) 9330 8486